

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	53	(applet WITH library) config\$ secur\$ "709"/\$\$\$\$.ccls. @ad<"20010803"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2007/01/31 14:34
L2	43	applet config\$ browser network 709/220.ccls. @ad<"20010803" (physical or MAC)	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2007/01/31 14:34
L3	113	applet config\$ browser network bootstrap physical @ad<"20010803"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2007/01/31 14:34
L4	683	config\$ (MAC or "physical address" or link?layer) secure network @ad<"20010803" "709"/\$\$\$\$.ccls.	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2007/01/31 14:34
L5	113	applet config\$ browser network bootstrap physical @ad<"20010803"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2007/01/31 14:34
L6	761	config\$ (MAC or "physical address" or link?layer) SAME send @ad<"20010803" "709"/\$\$\$\$.ccls.	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2007/01/31 14:34
L7	460	applet config\$ browser (MAC or physical) boot\$ @ad<"20010803"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2007/01/31 14:35
L8	60	config\$ manage\$ heartbeat start (timestamp or seed) "709"/\$\$\$\$.ccls. @ad<"20010803"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2007/01/31 14:35
L9	54	"7"\$.ccls. ((custom or customiz\$) WITH applet) ((config\$ or manag\$) WITH applet) (secur\$ with (connection or access or tunnel or transfer or remote)) browser network @ad<"20010803"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2007/01/31 14:35
L10	112	(applet WITH database) config\$ secur\$ "709"/\$\$\$\$.ccls. @ad<"20010803"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2007/01/31 14:35
L11	31	config\$ WITH (MAC or "physical address" or link?layer) applet network @ad<"20010803"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2007/01/31 14:35

EAST Search History

L12	10931	709/22\$.ccls. @ad<"20010803"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2007/01/31 14:35
L13	14797	"713"/\$.ccls. @ad<"20010803"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2007/01/31 14:35
S1	31086	network management database @ad<"20010803"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/03/11 10:49
S2	8798	network management database synch\$ device @ad<"20010803"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/03/10 16:49
S3	3733	applet config\$ browser @ad<"20010803"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2006/03/22 10:24
S4	3659	applet config\$ browser network @ad<"20010803"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/03/10 16:51
S5	114	applet config\$ browser network bootstrap @ad<"20010803"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/03/10 16:51
S6	58	applet config\$ browser network 709/220.ccls. @ad<"20010803"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2006/03/24 10:35
S7	0	applet config\$ browser network kickstart bootstrap physical @ad<"20010803"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/03/11 09:14
S8	92	applet config\$ browser network bootstrap physical @ad<"20010803"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/08/23 16:19
S9	35	applet config\$ browser network 709/220.ccls. @ad<"20010803" (physical or MAC)	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/03/11 09:47
S10	2184	applet config\$ browser network @ad<"20010803" (physical or MAC)	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/03/11 09:47

EAST Search History

S11	564	config\$ network 709/220.ccls. @ad<"20010803" (physical or MAC)	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/03/11 09:48
S12	333	config\$ network 709/220.ccls. database @ad<"20010803" (physical or MAC)	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/03/11 09:48
S13	1	"6834298".pn. @ad<"20010803"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/03/11 14:33
S14	2176	config\$ (MAC or "physical address" or link?layer) secure network @ad<"20010803"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2006/03/22 10:26
S15	552	config\$ (MAC or "physical address" or link?layer) secure network @ad<"20010803" "709"/\$\$\$ccls.	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/03/11 10:55
S16	37	config\$ (MAC or "physical address" or link?layer) secure network @ad<"20010803" "709"/220.ccls.	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/03/11 10:51
S17	10	config\$.ti. (MAC or "physical address" or link?layer) secure network @ad<"20010803" "709"/\$\$\$ccls.	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/03/11 11:15
S18	644	config\$ (MAC or "physical address" or link?layer) SAME send network @ad<"20010803" "709"/\$\$\$ccls.	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/03/11 11:16
S19	647	config\$ (MAC or "physical address" or link?layer) SAME send @ad<"20010803" "709"/\$\$\$ccls.	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/03/11 11:32
S20	0	config\$ "send using" SAME "physical address" @ad<"20010803" "709"/\$\$\$ccls.	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/03/11 11:33
S21	0	config\$ "send using" SAME "MAC" @ad<"20010803" "709"/\$\$\$ccls.	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/03/11 11:33
S22	862	config\$ SAME (MAC or "physical address" or link?layer) @ad<"20010803" "709"/\$\$\$ccls.	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/03/11 11:35

EAST Search History

S23	496	config\$ use SAME (MAC or "physical address" or link?layer) @ad<"20010803" "709"/\$\$\$ccls.	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/03/11 11:35
S24	43	use SAME (MAC or "physical address" or link?layer) @ad<"20010803" "709"/220.ccls.	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/03/11 13:47
S25	6469	"agilent technologies"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/03/11 13:48
S26	67	"agilent technologies" "709"/\$\$\$ccls.	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/03/11 14:00
S27	1660	applet database config\$ (deploy or send) "709"/\$\$\$ccls.	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/03/11 14:00
S28	156	applet WITH database config\$ (deploy or send) "709"/\$\$\$ccls.	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/03/11 14:05
S29	112	applet WITH database config\$ (deploy or send) secur\$ "709"/\$\$\$ccls.	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/03/11 14:09
S30	112	(applet WITH database) config\$ (deploy or send) secur\$ "709"/\$\$\$ccls.	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/03/11 14:29
S31	120	(applet WITH database) config\$ secur\$ "709"/\$\$\$ccls.	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/03/11 14:34
S33	1	"6260078".pn. @ad<"20010803"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/03/11 14:35
S34	93	(applet WITH database) config\$ secur\$ "709"/\$\$\$ccls. @ad<"20010803"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/03/11 15:19
S35	47	(applet WITH library) config\$ secur\$ "709"/\$\$\$ccls. @ad<"20010803"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/03/14 09:08

EAST Search History

S36	93	(applet WITH database) config\$ secur\$ "709"/\$\$\$\$.ccls. @ad<"20010803"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/03/14 10:00
S37	0	"autonomous management session" "709"/\$\$\$\$.ccls. @ad<"20010803"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/03/14 10:00
S38	243	config\$ manage\$ heartbeat start "709"/\$\$\$\$.ccls. @ad<"20010803"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/03/14 13:03
S39	49	config\$ manage\$ heartbeat start (timestamp or seed) "709"/\$\$\$\$.ccls. @ad<"20010803"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/03/14 13:03
S40	2185	applet config\$ browser network physical @ad<"20010803"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/08/23 16:19
S41	95	applet config\$ browser network bootstrap physical @ad<"20010803"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/08/23 16:20
S42	2284	applet config\$ browser (MAC or physical) @ad<"20010803"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/08/23 16:20
S43	400	applet config\$ browser (MAC or physical) boot\$ @ad<"20010803"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/08/23 16:20
S44	110	applet SAME config\$ browser (MAC or physical) boot\$ @ad<"20010803"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/08/23 16:20
S45	483	config\$ SAME browser (MAC or physical) boot\$ @ad<"20010803"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/08/23 16:20
S46	202	config\$ SAME browser applet (MAC or physical) boot\$ @ad<"20010803"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2005/08/23 16:20
S47	1	"6256668".pn.	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2006/03/22 09:31

EAST Search History

S48	1	"20020184619".pn.	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2006/03/22 09:33
S49	1	"5974454".pn.	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2006/03/22 09:34
S50	1	"6123737".pn.	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2006/03/22 09:34
S51	4101	applet config\$ browser @ad<"20010803"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2006/03/22 10:24
S52	27	config\$ WITH (MAC or "physical address" or link?layer) applet network @ad<"20010803"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2006/03/23 10:20
S53	69	config\$ SAME boot (MAC or "physical address" or link?layer) applet network @ad<"20010803"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2006/03/23 10:26
S54	57	config\$ SAME boot (MAC or "physical address" or link?layer) applet network @ad<"20010803" not intertrust.as.	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2006/03/23 10:26
S55	161	(custom\$ WITH applet) (config\$ WITH applet) browser network @ad<"20010803"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2006/03/24 10:39
S56	132	(custom\$ WITH applet) (config\$ WITH applet) secur\$ browser network @ad<"20010803"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2006/03/24 10:40
S57	132	(custom\$ WITH applet) (config\$ WITH applet) secur\$ browser network @ad<"20010803" not intertrust.as.	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2006/03/24 10:41
S58	83	((custom or customiz\$) WITH applet) (config\$ WITH applet) secur\$ browser network @ad<"20010803" not intertrust.as.	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2006/03/24 10:41
S59	83	((custom or customiz\$) WITH applet) (config\$ WITH applet) secur\$ browser network @ad<"20010803"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2006/03/24 10:46

EAST Search History

S60	31	"709"/\$.ccls. ((custom or customiz\$) WITH applet) (config\$ WITH applet) secur\$ browser network @ad<"20010803"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2006/03/24 11:09
S61	61	"7"/\$.ccls. ((custom or customiz\$) WITH applet) (config\$ WITH applet) secur\$ browser network @ad<"20010803"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2006/03/24 10:47
S62	72	"7"/\$.ccls. ((custom or customiz\$) WITH applet) ((config\$ or manag\$) WITH applet) secur\$ browser network @ad<"20010803"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2006/03/24 11:09
S63	52	"7"/\$.ccls. ((custom or customiz\$) WITH applet) ((config\$ or manag\$) WITH applet) (secur\$ with (connection or access or tunnel or transfer or remote)) browser network @ad<"20010803"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2006/03/24 11:10
S64	52	"7"/\$.ccls. ((custom or customiz\$) WITH applet) ((config\$ or manag\$) WITH applet) (secur\$ with (connect\$ or access or tunnel or transfer or remote)) browser network @ad<"20010803"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2006/03/24 11:15
S65	18	"709"/\$.ccls. ((custom or customiz\$) WITH applet) ((config\$ or manag\$) WITH applet) (secur\$ with (connect\$ or access or tunnel or transfer or remote)) browser network @ad<"20010803"	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2006/03/24 11:47
S66	2	("6345294".pn. or "20030023732".pn. or "20020198969".pn.) (timestamp or seed or unique)	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2006/03/24 11:49
S67	1	("6345294".pn. or "20030023732".pn. or "20020198969".pn.) timestamp	US-PGPUB; USPAT; USOCR; EPO	AND	ON	2006/03/24 11:49